

FORM-PTO-1390 (Rev. 10-96)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER 030705-164	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5) 09/508430 To Be Assigned	
INTERNATIONAL APPLICATION NO. PCT/CH98/00343		INTERNATIONAL FILING DATE 14 August 1998		PRIORITY DATE CLAIMED 15 September 1997	
TITLE OF INVENTION METHOD FOR EVALUATING DATA FROM TEXTILE FABRICS					
APPLICANT(S) FOR DO/EO/US Rudolf MEIER and Jürg UHLMANN					
<p>Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:</p> <ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and the PCT Articles 22 and 39(1). 4. <input type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <ol style="list-style-type: none"> a. <input checked="" type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US) 6. <input checked="" type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been transmitted by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). <p>Items 11. to 16. below concern other document(s) or information included:</p> <ol style="list-style-type: none"> 11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input checked="" type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 14. <input type="checkbox"/> A substitute specification. 15. <input type="checkbox"/> A change of power of attorney and/or address letter. 16. <input checked="" type="checkbox"/> Other items or information: Notice of Inventors' Addresses; Six (6) Sheets of Formal Drawings; and Copy of the German Language International Preliminary Examination Report. 					

U.S. APPLICATION NO. (If known, see 37 CFR 1.52) To Be Assigned 09/508430		INTERNATIONAL APPLICATION NO. PCT/CH98/00343		ATTORNEY'S DOCKET NUMBER 030705-164	
---	--	---	--	--	--

17. <input checked="" type="checkbox"/> The following fees are submitted:				CALCULATIONS	PTO USE ONLY
Basic National Fee (37 CFR 1.492(a)(1)-(5)): Search Report has been prepared by the EPO or JPO \$840.00 (970) International preliminary examination fee paid to USPTO (37 CFR 1.482) \$670.00 (956) No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) \$690.00 (958) Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$970.00 (960) International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) \$96.00 (962)					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$ 840.00	
Surcharge of \$130.00 (154) for furnishing the oath or declaration later than months from the earliest claimed priority date (37 CFR 1.492(e)). 20 <input type="checkbox"/> 30 <input type="checkbox"/>				\$	
Claims	Number Filed	Number Extra	Rate		
Total Claims	9 -20 =	0	X\$18.00 (966)	\$ 0	
Independent Claims	1 -3 =	0	X\$78.00 (964)	\$ 0	
Multiple dependent claim(s) (if applicable)			+ \$260.00 (968)	\$	
TOTAL OF ABOVE CALCULATIONS =				\$ 840.00	
Reduction for 1/2 for filing by small entity, if applicable. Verified Small Entity statement must also be filed. (Note 37 CFR 1.9, 1.27, 1.28).				\$	
SUBTOTAL =				\$ 840.00	
Processing fee of \$130.00 (156) for furnishing the English translation later than months from the earliest claimed priority date (37 CFR 1.492(f)). 20 <input type="checkbox"/> 30 <input type="checkbox"/>				\$	
TOTAL NATIONAL FEE =				\$ 840.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 (581) per property +				\$	
TOTAL FEES ENCLOSED =				\$ 840.00	
				Amount to be:	
				refunded	\$
				charged	\$

a. ☒ A check in the amount of \$ 840.00 to cover the above fees is enclosed.


b. ☐ Please charge my Deposit Account No. 02-4800 in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed.

c. ☐ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 02-4800. A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

William L. Mathis
BURNS, DOANE, SWECKER & MATHIS, L.L.P.
P.O. Box 1404
Alexandria, Virginia 22313-1404



SIGNATURE

William L. Mathis

NAME

17,337

REGISTRATION NUMBER

Patent
Attorney's Docket No. 030705-164

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)
)
Rudolf MEIER et al.) Group Art Unit: Unassigned
)
Application No.: To Be Assigned) Examiner: Unassigned
)
Filed: Concurrently Herewith)
)
For: METHOD FOR EVALUATING DATA)
FROM TEXTILE FABRICS)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to examination, please amend the above-noted application as follows:

In the Specification:

Please amend the specification as follows.

Page 2, line 2, change "items of data acquired from" to --faults which are determined in--.

Page 2, line 5, change "data" to --faults--.

Page 2, line 12, after "data" insert --on the faults--.

Page 6, line 19, after "intensity" insert --and size--.

In the Claims:

Please cancel claim 6 without prejudice or waiver to the subject matter recited therein.

Please amend the claims as follows:

00120 06100560

1. (Amended) Method for evaluating [data] faults determined on textile fabrics (1), characterized in that the [data] faults are determined on a swatch (3a, 3b) of the surface of the fabric, that the [data] faults are sorted according to at least two parameters (13, 14), and that the [data] faults are represented in an image (12, 30) as a function of the parameters.

2. (Amended) Method according to claim 1, characterized in that the swatch in which [data] faults are [acquired] detected forms a rectangle whose sides extend parallel and perpendicularly to boundaries of the fabric.

3. (Amended) Method according to claim 1, characterized in that the extent of a detected fault in two directions (s, k) of an area in the fabric is provided as a parameter.

4. (Amended) Method according to claim 1, characterized in that the intensity (Δi) of a fault is provided as a further parameter.

5. (Amended) Method according to claim 1, characterized in that the form (23 - 29) of a fault is [provided] represented as a further parameter.

8. (Amended) Method according to claim [7] 6, characterized in that values for [the] a detected number of faults in the fabric are associated with the classes.

9. (Amended) Method according to claim [7] 6, characterized in that the classes are divided into groups by boundaries (97, 98).

00120 02130560

G/PRTS

09/508430
514 Rec'd PCT/PTO 13 MAR 2000

-1-

METHOD FOR EVALUATING DATA FROM TEXTILE FABRICS

The invention relates to a method for evaluating data determined on textile fabrics.

When producing textile fabrics such as woven fabrics, knitted fabrics, etc., faults which cause the ideally regular and precisely structured surface to exhibit irregularities or faults are a frequent occurrence. In terms of extent, faults of this kind may range from being very small and inconspicuous to very large or, for other reasons, conspicuous and may reduce the value and the function, e.g. the strength or the appearance of the fabric. The finished fabrics are therefore subjected to an examination for the purpose of indicating faults in the structure. This may be a visual or a machine examination and often takes place both before dyeing or dressing and also before making up. An increase in the quantity of detected faults is to be expected in particular when carrying out a machine or automated examination, so that a correspondingly greater data flow may result.

One disadvantage in this case lies in the fact that, although a considerable amount of data is available, these data are likely to cause confusion and may not just serve to improve the quality of the products. It should also be borne in mind that there are a great many producers of textile fabrics of all kinds and that each producer and also many customers are inclined to define and implement their own quality criteria. This means that textile fabrics which are assessed by different individuals or institutions result in assessments which cannot easily be compared with one another.

As characterized in the claims, the invention therefore achieves the object of providing a method by which items of data acquired from textile fabrics can easily be compared with one another and assessed and evaluated as to their significance in a differentiated manner.

5 This is achieved by determining the data on a swatch of the surface of the fabric and sorting this data according to at least two parameters. A swatch can be understood to be the entire surface under consideration of a fabric or a section from the surface. A section of this kind may be moved or changed after a period required for acquiring the data, so that new data on other zones or swatches of the
10 fabric are periodically obtained. The intensity of a pixel or surface element, a longitudinal coordinate, a latitudinal coordinate, etc. may be considered as data and therefore also as parameters, for example. The acquired data are then represented in an image as a function of selected parameters, which in turn may be divided into zones which in themselves are conceived as homogeneous. If two
15 parameters are selected, the result is a one-dimensional representation. If three parameters are selected, the resulting image is a two-dimensional representation. The image then represents, for example, a classifying field consisting of individual fields which define a class. The class is characterized by the extent of the field, which lies in a plane which is regarded as the location for values of two
20 parameters. A further parameter may be displayed by symbols entered in the field.

 The advantages achieved by means of the invention lie in particular in the fact that it enables a structured and standardized assessment of faults in textile fabrics to be carried out. Thus on the one hand values of predetermined
25 parameters for the most varied faults can be indicated, while on the other criteria can be created which help to identify the significance or value of the faults and to compare this with the value of other faults. A large data flow on faults in the

fabrics can thus also be processed to provide accurate information on the faults occurring.

The invention is illustrated in detail in the following on the basis of an example and with reference to the accompanying figures, in which:

- 5 Figure 1 shows a respective swatch of the surface of a textile fabric,
 Figure 2 shows a respective swatch according to Figure 1 with different faults, and
 Figures 3 to 11 in each case show a classifying field.

- 10 Figure 1 shows the same run 1 of a textile fabric three times with a fault 2.
Information on the position of this fault 2 can be obtained, for example, via coordinates x and y, on its size via values of the extent in two directions s and k, and on its intensity or deviation, for example in terms of color, from the surrounding area via a value delta i.

- 15 Figure 2 shows a respective swatch 3a, 3b of a textile fabric with a grid 4 and four different faults 5, 6, 7 and 8. The swatch 3a shows a first possibility for evaluating the size of the faults 5, 6, 7 and 8 and the swatch 3b a second possibility. For this purpose the grid 4 divides the swatches 3a, 3b into individual small fields 9, and the occupancy of these fields by the faults 5 - 8 is interpreted differently in the two swatches 3a and 3b, as will be discussed further in the
20 following. However in both cases this means that the extent of the faults through the number of occupied fields is selected as a parameter. Although - should this be a woven fabric - the faults 5, 6, 7, 8 extend in two directions, weftwise 10 and warpwise 11, the values of the parameters only indicate that the intensity of the faults 5 - 8 has exceeded a threshold value and one of the number of occupied
25 fields 9 has a proportional extent. The swatches 3a, 3b preferably form at least

one rectangle whose sides extend parallel and perpendicularly to boundaries of the fabric or run 1.

Figure 3 shows an image 12 with two axes 13, 14, along which values of parameters are plotted. Here the values along the axis 13 are values for the length of a fault, for example viewed weftwise in a woven fabric, and those along the axis 14 values for the width of a fault, for example viewed warpwise in a woven fabric. Lines 15, 17, 19 and 21 divide the width of the faults into five classes, while lines 16, 18, 20 and 22 divide the length of the faults into five classes. This results overall in twenty five classes for classifying the faults according to size. Symbols 23 - 29 are drawn in at a plurality of class boundaries, which are indicated by the lines 15 - 22, these symbols representing the form of a fault as is to be expected on the basis of dimensions according to the said lines. Numerical values are also entered in the fields defined by the lines 15 to 22, these values indicating the number of detected faults which fall within the class concerned. For this purpose it is assumed that a class represents a homogeneous zone, i.e. no distinction is made as to whether or not the values of the parameters lie near upper or lower class boundaries or lines 15 - 22.

Figure 4 shows an image 30 with axes and lines defining classes as is already known from Figure 3. The axes, lines and symbols have therefore been given the same reference numbers. Dots 31, 32, 33, etc. are entered in the fields, the position of which dots in relation to the axes 13 and 14 indicates the size of the fault accurately or in a differentiated manner. Each dot therefore corresponds to a fault, and the distribution of the faults or the dots thereof is also an indication of the predominant type of fault in the fabric. Characters A to E are also entered along the axis 13 between the lines 14 to 22 and integral numbers 1 to 5 along the axis 14 between the lines 13 to 21. Each field and therefore each class can therefore be clearly designated by the combination of a number and a character.

Figure 5 shows an image 34 with axes and lines defining classes as is already known from Figure 3. The axes, lines and symbols have therefore been given the same reference numbers. Diagonally ascending numerical values, which indicate the intensity of a fault, are provided in the individual fields, which correspond to fault classes. Here the position of a figure indicates the intensity, while the value of the figure indicates the number of faults with this intensity. Thus numerical values located in the bottom left-hand side of a field indicate high intensities and numerical values located in the top right-hand side indicate low intensities.

Figure 6 shows an image 35 with axes 36 and 37. Values for the area of a fault, for example in CM2, are plotted along the axis 36 and values for the intensity of a fault in percentages along the axis 37. This image 35 is also divided into fields or classes by lines 38 to 43. Symbols which indicate the intensity of the fault through the strength of the color are drawn in at the intersections of the lines 38 - 43. Numerical values in the fields indicate the number of faults occurring in the class concerned.

Figure 7 shows an image 44 with axes 45 and 46. Values for the length of a fault, for example in cm, are plotted along the axis 41 and values for the intensity of a fault, for example in percentages, along the axis 46. This image 44 is also divided into fields or classes by lines 47 to 52. The number of detected faults is indicated by the figures in the fields, as already known from Figure 3.

Figure 8 shows an image 53 with axes 54 and 55. Values for the number of occupied fields 9 according to Figure 2 are plotted along the axis 54 and values for the intensity of a fault along the axis 55. This image 53 is also divided into fields or classes by lines 56 to 61. The number of detected faults is indicated by the figures in the fields, as already known from Figure 3.

Figure 9 shows an image 62 with axes 63 and 64. Values for the length of faults in cm are plotted along the axis 63. The axis 64 is divided into a plurality of

zones 64a to e, and values for the intensity are given in percentages in each zone. Each of the zones 64a to 64e relates to a certain type of fault, for example the zone 64a relates to weft faults, the zone 64b to warp faults, the zone 64c to surface faults, the zone 64d to edge faults and the zone 64e to holes. Lines 65 to 78 again divide the image 62 into fields or classes in which numerical values indicate the number of detected faults in the class concerned. The position of the numerical value in relation to the zone on the axis 64 indicates the intensity of the fault. Several numerical values may thus also occur in one class. The image 62 thereby illustrates a classification which is based on different types of fault. Different known types of fault may be grouped together as desired. So, for example, the term "weft faults" is here generally understood to mean faults which predominantly extend weftwise in a woven fabric. Such faults are known under the following terms: join, fell, straightening point, shed, weft bar, lashing-in, slubber, fly, thread breakage, mispick.

Figure 10 shows an image 80 with an axis 81 which is divided into zones 81a to d. Values for intensities in percentages are given along another axis 82. Lines 83 to 93 divide the image 80 into fields or classes. Values for the number of detected faults can again be entered in the fields or classes. For example, the intensity of weft faults can be entered in zone 81a, the intensity of warp faults in zone 81b, the intensity or size of holes in zone 81c, the intensity of edge faults, etc. in zone 81d, and the numbers thereof.

Figure 11 shows an image 94 with axes and lines as already found in images 12 and 30 (Figures 3 and 4). Here the fields or classes are divided by a boundary 97 into two groups 95 and 96, with the boundary extending along lines 15, 17, 19 and 16, 18, 20. However it is also possible to define a boundary 98 which also divides the individual fields or classes.

The method according to the invention is carried out as follows:

The textile fabric is scanned in a manner known per se, for example by a camera, and images for swatches of the surface of the fabric are made and signals derived therefrom are processed. Using algorithms, which do not constitute the subject
5 matter of this invention, for image processing, faults or unusual features in the images of the surface are determined from the derived signals by comparison with predetermined limit values, patterns, etc. Thus data on faults in a swatch of the fabric are produced. A swatch of this kind is shown, for example, in Figure 1 and called a run 1. A fault 2, which is distinguished by various parameters, can be
10 recognized in this. These parameters are its position, which is given by coordinates x and y, its size, which is given by the values s and k, and its intensity, which causes the fault to actually stand out from the area surrounding it and which is quantified by a qualitative datum, here called delta i.

Different parameters are significant, according to how the fault is
15 subsequently dealt with. For example, if every fault is to be removed, all that is of interest is its position, possibly also its size. If the fabric is then to be assessed as to where the faults are most numerous, such as at the edge, for example, it is again just the position which is of interest. The data are then sorted according to parameters such as length and width and accordingly represented in an image.

20 Should there be a requirement for assessing how the fault appears to the eye or how it influences subsequent processing of the fabric, such as dyeing or dressing, its size is of interest and possibly also its intensity. Then the parameters according to which the data are sorted are the length s and the width k of the fault, as well as its intensity delta i.

25 Just one dimension may be determined from the signals obtained from image processing in order to detect the size of a fault, or an evaluation according

to Figure 2 may be undertaken. In this case an investigation is carried out to establish how many fields 9 are affected or at least partly covered by a fault.

These fields, as marked in swatch 3a, are counted for each fault and the number is plotted, for example, along the axis 54 in Figure 8. However it is also possible, as shown for swatch 3b, to take the fields 9 occupied for each fault and to complete them to an extent such that together they form a rectangle which encompasses the fault. The fields 9 which are comprised in this rectangle then have to be counted and plotted.

In order to detect the intensity of a fault, the color or brightness of the area surrounding the fault is taken as a starting point and an attempt is made to quantify deviations of the color or brightness more or less accurately or in a graduated manner, this being expressed by a value delta i. The devices used for image processing determine the degree to which this is successful.

In order to represent the size of the fault in an image, its length can be detected in the swatch in a manner known per se and represented in an image 12, 30 by a value on the axis 13. The width of the fault can be represented in the same way by a value on the axis 14. Together these two values produce, for example, a dot 33 (Figure 4). This can be left as a dot or simply treated as a fault in class C2, which would mean that just one counting value would then be increased by one for this class. For this purpose it is possible to specify certain fields or classes as acceptable and others as unacceptable beforehand. The position of the fault in image 13, 30 then immediately reveals how the fault is to be assessed. Should values for faults accumulate in individual classes, this will equally provide an indication for assessing the fabric.

The intensity of a fault can be represented according to the possibilities already presented on the basis of the images 34, 35, 44 and 53 (Figures 5 - 8).

As shown in Figure 1, swatches of the surface from which the data are acquired which form a rectangle are particularly suitable, for the fabrics in question are also already in the form of rectangles, this being a result of the manufacturing process. Then sides of the swatches should also lie parallel and perpendicularly to the boundaries of the fabric. However the swatch concerned does not conventionally constitute the entire surface of the fabric. This applies to swatches 3a, 3b according to Figure 2, which is an enlarged view of a part of the run 1 according to Figure 1.

The form of a fault, as represented by the symbols 23 to 29 in Figure 3, may also be directly considered as a parameter. In fact a parameter of this kind ultimately consists of two parameters (length and width). However it would also be possible to combine the parameter "form" with the parameter "intensity", as known from Figure 6, and in this way obtain another combination and therefore another image representation. It thus becomes obvious that only a few possibilities are indicated here, although these can also be developed according to the invention in an obvious manner by combination, for example by interchanging the axes.

Data can be evaluated and, optionally, the textile fabric processed in a differentiated manner, according to whether the determined data belong to groups 95 or 96 (Figure 11), which are separated by a boundary 97, 98. For example, the weighting of the faults in group 96 may be reduced with respect to the faults in group 95. Or faults of group 96 are only marked, for example, at the edge of a cloth run, while faults of group 95 are removed, for example by unraveling the woven fabric in the area around these faults. Generally speaking, boundaries 97, 98, etc. can form groups of classes or categories of faults which initiate different actions.

Claims:

1. Method for evaluating data determined on textile fabrics (1), characterized in that the data are determined on a swatch (3a, 3b) of the surface of the fabric, that the data are sorted according to at least two parameters (13, 14),
5 and that the data are represented in an image (12, 30) as a function of the parameters.
2. Method according to claim 1, characterized in that the swatch in which data are acquired forms a rectangle whose sides extend parallel and perpendicularly to boundaries of the fabric.
- 10 3. Method according to claim 1, characterized in that the extent of a detected fault in two directions (s, k) in the fabric is provided as a parameter.
4. Method according to claim 1, characterized in that the intensity (Δi) of a fault is provided as a parameter.
- 15 5. Method according to claim 1, characterized in that the form (23 - 29) of a fault is provided as a parameter.
6. Method according to claim 1, characterized in that the image indicates at least two parameters for a fault.
7. Method according to claim 1, characterized in that the image consists of fields, a class for the faults being associated with each field.
- 20 8. Method according to claim 7, characterized in that value s for the detected number of faults in the fabric are associated with the classes.

9. Method according to claim 7, characterized in that the classes are divided into groups by boundaries (97, 98).

OFFICE OF THE ATTORNEY GENERAL

	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2433	2434	2435	2436	2437	2438	2439	2440</
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------

[illegible]




Fig.1




Fig.2

Fig.3




Fig.4




Fig. 5





Fig. 6






Fig. 9






Fig. 10





09/508430

514 RECEIVED 13 MAR 2000

Patent

Attorney's Docket No. 030705-164

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)
Rudolf MEIER et al.) Group Art Unit: Unassigned
Application No.: To Be Assigned) Examiner: Unassigned
Filed: Concurrently Herewith)
For: METHOD FOR EVALUATING DATA)
FROM TEXTILE FABRICS)

NOTICE OF INVENTORS' ADDRESSES

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

We have been informed that the current inventors' addresses are as follows.

Rudolf MEIER
Drusbergstr. 7
CH-8610 Uster
Switzerland

Jürg UHLMANN
Reutenenstr. 30
CH-8500 Frauenfeld
Switzerland

Please incorporate this information in the appropriate records.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Date: 13 March 2000

By: William L Mathis

William L. Mathis

Registration No. 17,337

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY
(Includes Reference to Provisional and PCT International Applications)

Attorney's Docket No.

030705-164

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

PROCESS FOR EVALUATING DATA FROM TEXTILE FABRICS

the specification of which (check only one item below):

☐ is attached hereto.

☐ was filed as United States application

Number _____

on _____

and was amended

on _____ (if applicable).

☒ was filed as PCT international application

Number PCT/CH98/00343

on 14 August 1998

and was amended

on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(e) of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. § 119:

COUNTRY (if PCT, indicate "PCT")	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. § 119
Switzerland	2167/97	15 September 1997	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

(Application Number)

(Filing Date)

(Application Number)

(Filing Date)

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (CONT'D)
(Includes Reference to Provisional and PCT International Applications)

Attorney's Docket No.

030705-164

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose to the Office all information known to me to be material to the patentability as defined in Title 37, Code of Federal Regulations §1.56, which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. §120:

U.S. APPLICATIONS		STATUS (check one)		
U.S. APPLICATION NUMBER	U.S. FILING DATE	PATENTED	PENDING	ABANDONED
PCT APPLICATIONS DESIGNATING THE U.S.				
PCT APPLICATION NO.	PCT FILING DATE	U.S. APPLICATION NUMBERS ASSIGNED (if any)		

I hereby appoint the following attorneys and agent(s) to prosecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:

William L. Mathis 17,337
Robert S. Swecker 19,885
Platon N. Mandros 22,124
Benton S. Duffett, Jr. 22,030
Norman H. Stepno 22,716
Ronald L. Grudziecki 24,970
Frederick G. Michaud, Jr. 26,003
Alan E. Kopecki 25,813
Regis E. Slutter 26,999
Samuel C. Miller, III 27,360
Robert G. Mukai 28,531
George A. Hovanec, Jr. 28,223
James A. LaBarre 28,632
E. Joseph Gess 28,510

R. Danny Huntington 27,903
Eric H. Weisblatt 30,505
James W. Peterson 26,057
Teresa Stanek Rea 30,427
Robert E. Krebs 25,885
William C. Rowland 30,888
T. Gene Dillahunt 25,423
Patrick C. Keane 32,858
Bruce J. Boggs, Jr. 32,344
William H. Benz 25,952
Peter K. Skiff 31,917
Richard J. McGrath 29,195
Matthew L. Schneider 32,814
Michael G. Savage 32,596

Gerald F. Swiss 30,113
Michael J. Ure 33,089
Charles F. Wieland III 33,096
Bruce T. Wieder 33,815
Todd R. Walters 34,040
Ronni S. Jillions 31,979
Harold R. Brown III 36,341
Allen R. Baum 36,086
Steven M. du Bois 35,023
Brian P. O'Shaughnessy 32,747
Kenneth B. Leffler 36,075
Fred W. Hathaway 32,236



21839

and:

Address all correspondence to:



21839

William L. Mathis
BURNS, DOANE, SWECKER & MATHIS, L.L.P.
P.O. Box 1404
Alexandria, Virginia 22313-1404

Address all telephone calls to: _____ at (703) 836-6620.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

